## **Introduction to Machine Learning**

# **Information Theory Cross-Entropy and KL**

X  $\times$   $\times$ 



#### **Learning goals**

- Know the cross-entropy
- Understand the connection between entropy, cross-entropy, and KL divergence

### **CROSS-ENTROPY - DISCRETE CASE**

**Cross-entropy** measures the average amount of information required to represent an event from one distribution *p* using a predictive scheme based on another distribution  $q$  (assume they have the same domain  $\mathcal X$ as in KL).

$$
H(p||q) = \sum_{x \in \mathcal{X}} p(x) \log \left( \frac{1}{q(x)} \right) = -\sum_{x \in \mathcal{X}} p(x) \log (q(x)) = -\mathbb{E}_{X \sim p}[\log(q(X))]
$$

For now, we accept the formula as-is. More on the underlying intuition follows in the content on inf. theory for ML and sourcecoding.

- Entropy = Avg. amount of information if we optimally encode *p*
- Cross-Entropy = Avg. amount of information if we suboptimally encode *p* with *q*
- *DLKL*(*p*∥*q*): Difference between the two
- $H(p||q)$  sometimes also denoted as  $H_q(p)$  to set it apart from KL

 $\times\overline{\times}$ 

#### **CROSS-ENTROPY - DISCRETE CASE / 2**

We can summarize this also through this identity:

$$
H(p\|q) = H(p) + D_{\mathsf{KL}}(p\|q)
$$

This is because:

$$
H(p) + D_{KL}(p||q) = -\sum_{x \in \mathcal{X}} p(x) \log p(x) + \sum_{x \in \mathcal{X}} p(x) \log \frac{p(x)}{q(x)}
$$
  
= 
$$
\sum_{x \in \mathcal{X}} p(x) (-\log p(x) + \log p(x) - \log q(x))
$$
  
= 
$$
-\sum_{x \in \mathcal{X}} p(x) \log q(x) = H(p||q)
$$



#### **CROSS-ENTROPY - CONTINUOUS CASE**

For continuous density functions  $p(x)$  and  $q(x)$ :

$$
H(p||q) = \int p(x) \log \left(\frac{1}{q(x)}\right) dx = -\int p(x) \log (q(x)) dx = -\mathbb{E}_{X \sim p}[\log(q(X))]
$$

- It is not symmetric.
- As for the discrete case,  $H(p||q) = h(p) + D_{KL}(p||q)$  holds.
- Can now become negative, as the  $h(p)$  can be negative!

#### **CROSS-ENTROPY EXAMPLE**

Let  $p(x) = N(0, 1)$  and  $q(x) = LP(0, 3)$ . We can visualize

*H*( $p$ || $q$ ) = *H*( $p$ ) + *D*<sub>*KL*</sub>( $p$ || $q$ )



X X X

#### **CROSS-ENTROPY EXAMPLE**

Let  $p(x) = LP(0, 3)$  and  $q(x) = N(0, 1)$ . We can visualize

 $H(p||q) = H(p) + D_{KL}(p||q)$ 



X X X

### **PROOF: MAXIMUM OF DIFFERENTIAL ENTROPY**

**Claim**: For a given variance, the continuous distribution that maximizes differential entropy is the Gaussian.

**Proof**: Let  $g(x)$  be a Gaussian with mean  $\mu$  and variance  $\sigma^2$  and  $f(x)$ an arbitrary density function with the same variance. Since differential entropy is translation invariant, we can assume  $f(x)$  and  $g(x)$  have the same mean.

The KL divergence (which is non-negative) between  $f(x)$  and  $g(x)$  is:

$$
0 \leq D_{KL}(f||g) = -h(f) + H(p||q)
$$
  
=  $-h(f) - \int_{-\infty}^{\infty} f(x) \log(g(x)) dx$  (1)

 $\overline{\mathsf{X}}$ 

#### **PROOF: MAXIMUM OF DIFFERENTIAL ENTROPY / 2**

The second term in (1) is,

$$
\int_{-\infty}^{\infty} f(x) \log(g(x)) dx = \int_{-\infty}^{\infty} f(x) \log\left(\frac{1}{\sqrt{2\pi\sigma^2}} e^{-\frac{(x-\mu)^2}{2\sigma^2}}\right) dx
$$
  
= 
$$
\int_{-\infty}^{\infty} f(x) \log\left(\frac{1}{\sqrt{2\pi\sigma^2}}\right) dx + \log(e) \int_{-\infty}^{\infty} f(x) \left(-\frac{(x-\mu)^2}{2\sigma^2}\right) dx
$$
  
= 
$$
-\frac{1}{2} \log\left(2\pi\sigma^2\right) - \log(e) \frac{\sigma^2}{2\sigma^2} = -\frac{1}{2} (\log\left(2\pi\sigma^2\right) + \log(e))
$$
  
= 
$$
-\frac{1}{2} \log\left(2\pi e \sigma^2\right) = -h(g), \tag{2}
$$

 $\times$   $\times$ 

where the last equality follows from the normal distribution example of the entropy chapter. Combining (1) and (2) results in

$$
h(g)-h(f)\geq 0
$$

with equality when  $f(x) = g(x)$  (following from the properties of Kullback-Leibler divergence).